



2024

Company

Profile

公司简介

Leader Wire Rope Technology Jiangsu Co., LTD.

领肯绳索科技江苏有限公司



# CONTENTS

## 目录

01

PART 01  
Company  
Introduction  
公司介绍

02

PART 02  
Production  
Equipment  
生产设备

03

PART 03  
Product  
Photos  
产品照片

04

PART 04  
Packing  
Types  
包装类型

05

PART 05  
Main  
Product  
主要产品

06

PART 06  
Our  
Business  
我司业务



# Company Introduction

## 公司介绍



**LINGKEN**  
领肯绳索

Leader Wire Rope Technology Jiangsu Co., Ltd. is located in Rudong County, Nantong City, Yangtze River Delta, close to TongZhou Bay demonstration zone. With a registered capital of 21.8 million yuan, it is a science and technology enterprise focusing on rope R & D.

The company's registered trademark is **LINGKEN** brand, and its products include wire rope series for medium and high-speed elevators; Steel wire rope series for low elongation three-dimensional parking garage; Hot dip galvanized high-strength steel wire rope series for slope protection; Anti torsion steel wire rope series for cable erection construction, and steel wire rope series for marine fisheries...

领肯绳索科技江苏有限公司是一个技术型团队建立的新型科技型企业，公司坐落于长三角江苏如东县、紧邻国家级开发区通州湾示范区，年产绳索3万吨，固定资产8000万元，从事绳索研发生产及加工制造。

公司注册商标 领肯 品牌，产品有热镀锌高强度边坡防护用钢丝绳系列；超强耐腐蚀抗老化镀PE钢绳系列；气膜用耐腐蚀抗老化缆索系列；中高速电梯用钢丝绳系列；低伸长率立体停车库用钢丝绳系列；架设电缆施工用防扭钢丝绳系列；起重升降专用钢丝绳系列；旋挖钻机专用钢丝绳系列；密封钢丝绳系列；海洋渔业、船舶及海工用钢丝绳系列；超高强度弹簧钢丝等系列产品，另有边坡安全防护系统，钢丝绳分切、索具制作等。

Double Stranding Machine 双捻股



Stranding Machine 捻股



Laying-up Machine 合绳



# Product Photos

## 产品照片



# Product Photos

## 产品照片



# Packaging Types

包装类型

04

Wooden Reels 木制卷轴



Iron Wheel 铁轮包装



Pallet Package 托盘包装



# Packaging Types

包装类型





05

# The Main Product of Wire Rope

钢丝/钢丝绳主要产品

LINGKEN  
领肯绳索



01

Elevator 电梯用钢丝绳

02

Marine 海洋渔业钢丝绳

03

Crane 起重机用钢丝绳

04

Rockfall Protection 落石防护钢丝绳

05

Hanging Basket 吊篮用钢丝绳

06

Single Strand 防扭用钢丝绳

07

Steel Wire 钢丝

08

Rigging 索具

# Wire Rope for Elevator 电梯用钢丝绳



	Low-rise Low-speed Elevator Traction 低层 低速电梯曳引用	High-rise High-speed Elevator Traction 高层 高速电梯曳引用	Super high-rise High-speed Elevator Traction 超高层 高速电梯曳引用
Elevator Speed: 梯速	$V < 2\text{m/s}$	$2\text{m/s} \leq V \leq 2.5\text{m/s}$ $V < 4\text{m/s}$	$V \geq 4\text{m/s}$
Storey Height: 楼层高度	$H \leq 30\text{m}$	$H \leq 100\text{m}$	$H > 100\text{m}$
Related Products: 相关产品	6x19+FC 8x19+FC 8X19S+NF	2m/s $V \leq 2.5\text{m/s}$ : 8X19+FC 8x19S+IWRF $V < 4\text{m/s}$ : 8x19+IWRC 8x19+IWRF	9x19+IWRC 9x19+IWRF 9x19S+IWRF

## Feature:

1. High tensile strength and excellent flexibility, which helps to prolong the service life of the rope.
2. Full range of elevator wire ropes including traction ropes, speed governor ropes, compensation ropes, and door machine ropes.
3. The products are welcomed by the market due to their high efficiency, high quality and long service life, low failure rate and few wearing parts.
4. Flexible customization.

## 特性:

1. 领肯电梯钢丝绳具有高抗拉强度和出色的柔韧性，有助于延长绳索的使用寿命。
2. 我们拥有包括曳引用绳、限速器用绳、补偿用绳、门机用绳在内的全系列电梯钢丝绳。
3. 产品凭借高效，高质和使用寿命长、故障率低和易损件少的特点而收到市场欢迎。
4. 可以为根据您的要求定制钢丝绳性能。

Standard  
标准

ISO  
4344:2004

GB/T  
8903:2018

EN  
12385-5:2002

RR-W-  
410E-2002

# Wire Rope

# for

# Marine

# 海洋渔业钢丝绳



## Part of Related Products 部分相关产品

6x7+FC/WSC		6x19+FC		6x24+7FC	
6x19S+FC/IWRC		6x21S+FC/IWRC		6x26WS+FC/IWRC	
6x36WS+FC/IWRC		6K19S+FC/IWRC		6K26WS+FC/IWRC	
3(1X19)	3(1X24)	4(1X24)	6(1X19)	6(1X24)	6B(1X19)

### Feature:

- 1.High strength, high wear resistance, good flexibility and distortion fatigue resistance.
- 2.Suitable for the corrosion resistance requirements in different marine environments.
- 3.Reliable flexible manufacturing system.
- 4.Flexible customization.

### 特性:

- 1.领肯海洋渔业钢丝绳具有高强度，高耐磨性，柔软性能好，耐歪曲疲劳等特点。
- 2.适用于不同海洋环境下的耐腐蚀要求。
- 3.拥有可靠的柔性生产制造系统。
- 4.可以为根据您的要求定制钢丝绳性能。

Standard  
标准

ISO/DIS  
2408:2002

GB/T  
20118-2006

EN  
12385-4:2002

RR-W-  
410E-2002

# Wire Rope for Crane

## 起重机用钢丝绳



Wire rope for port machinery  
港口机械用钢丝绳



Wire rope for tower crane  
塔式起重机用钢丝绳



Wire rope for bridge crane  
桥式起重机用钢丝绳



Wire rope for mining machinery  
矿山机械用钢丝绳

### Part of Related Products 部分相关产品

4Vx39S	4Vx48S	6x19S+IWR	6x19W+IWR
6X25FI+IWR	6x36WS	35WxK7	8xK36WS+IWR
6x36WS+IWR	6x36WS+FC	6x31WS+IWR	6x31WS+FC
6x26WS+IWR	6x26WS+FC	6x19+IWR	6x19S+FC

#### Feature:

1. High strength, good toughness, excellent wear resistance, can be used in port machinery, tower crane, truck crane, construction machinery, mining machinery and other equipment.
2. Reliable flexible manufacturing system.
3. Flexible customization.

#### 特性:

1. 领肯起重机用钢丝绳具有强度高、韧性好、出色的耐磨性，可用于港口机械、塔式起重机、汽车起重机、工程机械、矿用机械等设备。
2. 我们拥有可靠的柔性生产制造系统。
3. 可以为根据您的要求定制钢丝绳性能。

Standard  
标准

ISO  
2232-1990E

GB/T  
34198-2017

EN  
12385-4:2002

RR-W-  
410E-2002

# Related Products

## 相关产品



Rockfall protection wire rope  
落石防护钢丝绳



Passive Flexible Protection System  
被动柔性防护系统



Diamond slope protection net  
菱形边坡防护网



Passive Slope Protection Net  
被动边坡防护网



Slope active protection net  
边坡主动防护网



Passive Flexible Protection System  
被动柔性防护系统



Ring protection net  
环形防护网



wire rope net  
钢丝绳网

# Rockfall Protection Wire Rope 落石防护钢丝绳



## Part of Related Products 部分相关产品

4x7+IWS	6x7+IWS	6x19+IWS
6x18S+IWS	6x19S+IWS	6x21S+IWS

### Feature:

- 1.Can be used to make protective nets to protect irregular and unstable rocks.
- 2.Still corrosion resistant, durable and safe in bad weather conditions.
- 3.Can fix sliding and loose rocks and intercept falling flying stones.
- 4.Suitable for high mountains with buffer zone beside construction.

### 特性:

- 1.领肯防护钢丝绳可用于制造防护网，以保护不规则和不稳定的岩石。
- 2.在恶劣的天气条件下，依然防腐耐用且安全。
- 3.它们可以固定滑动和松动的岩石，也可以拦截落下的飞石。
- 4.适用于建筑设施旁有缓冲地带的高山峻岭，把岩崩、飞石、雪崩、泥石流拦截在建筑设施之外。

# LINGKEN

领肯绳索

## Wire Rope for Hanging Basket

吊篮用钢丝绳



### Related Products 相关产品

4x25FI+FC

4x31WS+FC

6x19W+IWS

6x19S+IWR

#### Feature:

1. High wear resistance and high bearing capacity.
2. Line contact structure, small diameter tolerance and strong flexibility.
3. Can be divided into working steel wire rope, safety steel wire rope and reinforcing steel wire rope.

#### 特性:

1. 领肯吊篮用钢丝绳具有高耐磨性和高承载能力。
2. 线接触结构、直径公差小、可挠性强。
3. 吊篮用钢丝绳可分为工作钢丝绳、安全钢丝绳和加强钢丝绳，钢丝绳选用专用镀锌钢丝绳。

# Single Strand Wire Rope for Anti-torsion 防扭用单股钢丝绳



## Related Products 相关产品

1x19	1x19W	1x25FI	1x29FI

### Feature:

- 1.High strength, good flexibility, no stress, anti-corrosion and rust prevention, long service life.
- 2.Better suitable for the weaving of anti torsion steel wire rope, especially for power erection construction.
- 3.Flexible customization.

### 特性:

- 1.领肯防扭用单股钢丝绳具有强度高、柔韧性好、无应力、防腐防锈、使用寿命长等优点。
- 2.更好的适用于防扭钢丝绳的编织，尤其适用于电力架设施工。
- 3.钢丝绳性能可根据您的需求进行定制。

**Feature**  
特性

- 1.Higher comprehensive mechanical properties to meet the use of various harsh environments.
- 2.Stable strength and high fatigue resistance.
- 3.Large bearing safety factor and stable and reliable use.
4. Flexible customization.

- 1.领肯钢丝具有更高的综合机械性能，满足各种严苛环境的使用。
- 2.具有稳定的强度和高耐疲劳性能。
- 3.承载安全系数大，使用稳定可靠。
- 4.钢丝性能可根据您的需求进行定制。

**Steel Wire**  
钢丝



**Related Products**  
相关产品



Hot dip galvanized steel wire  
热镀锌钢丝



Heat treated phosphating steel wire  
热处理磷化钢丝



Drop-off packaging(Z2)  
脱件式包装(Z2)



Galvanized steel wire  
镀锌钢丝



Semi-finished steel wire  
半成品钢丝



Wire for rope making  
制绳用钢丝



Carbon spring wire  
碳素弹簧钢丝



Oil quenched-tempered spring wire  
油淬火-回火弹簧钢丝



## Related Products

### 相关产品



Wire Rope Rigging  
钢丝绳索具



Wire Rope Rigging  
钢丝绳索具



Wire Rope Rigging  
钢丝绳成套索具



Closed Cast Rigging  
闭式浇铸索具



Open Cast Rigging  
开式浇铸索具



Pressed Wire Rope Rigging  
压制钢丝绳索具



Insert Wire Rope Rigging  
插编钢丝绳索具



Jointless Wire Rope Sling  
无接头钢丝绳吊索

## Rigging

### 索具




## Feature

### 特性

1. High temperature resistance, wear resistance, high strength, light weight and large bearing capacity.
2. Applicable to machinery, metallurgy, construction, chemical industry, transportation, port and other industries.
3. Flexible customization.

1. 领肯索具具有耐高温、耐磨损、强度高、自重轻、承载能力大等特点。
2. 适用于机械、冶金、建筑、化工、运输、港口等行业。
3. 索具性能可根据您的需求进行定制。

# Our Business



2024

Thanks for your visit

谢谢观看

Leader Wire Rope Technology Jiangsu Co., LTD.  
领肯绳索科技江苏有限公司